Heredity **81** (1998) 706–709

Author index

Aagaard, J. E., Krutovskii, K. V., Strauss, S. H. RAPDs and allozymes exhibit similar levels of diversity and differentiation among populations and races of Douglas-fir **69**

Akagi, H., Yokozeki, Y., Inagaki, A., Fujimura, T. Origin and evolution of twin microsatellites in the genus *Oryza* 187

Alvarez-Buylla, E. R. *see* Kaufman, S. R.

Anamthawat-Jónsson, K. *see* Pašakinskienė, I.

Andersson, S. *see* Waldmann, P.

Aravanopoulos, F. A., Zsuffa, L. Heterozygosity and biomass production in *Salix eriocephala* 396

Armstead, I. P. *see* King, I. P.

Armstrong, S. J., Fransz, P., Marshall, D. F., Jones, G. H. Physical mapping of DNA repetitive sequences to mitotic and meiotic chromosomes of *Brassica oleracea* var. *alboglabra* by fluorescence *in situ* hybridization **666**

Atlan, A. *see* Gigord, L.

Aulchenko, Y. S. *see* Rogatcheva, M. B.

Awadalla, P. *see* Charlesworth, D.

Axenovich, T. I. *see* Rogatcheva, M. B.

Backeljau, T. *see* De Wolf, H.

Baer, C. F. Population structure in a south-eastern US freshwater fish, *Heterandria formosa*. II. Gene flow and biogeography within the St. Johns River drainage **404**

Balfourier, F., Charmet, G., Ravel, C. Genetic differentiation within and between natural populations of perennial and annual ryegrass (*Lolium perenne* and *L. rigidum*) **100**

Ball, T. *see* Warren, J. M.

Bartoszewski, S. *see* Wilanowski, T. M.

Bastiaanssen, H. J. M., Van Den Berg, P. M. M. M., Lindhout, P., Jacobsen, E., Ramanna, M. S. Postmeiotic restitution in 2*n*-egg formation of diploid potato **20**

Bekal, S. *see* Esquibet, M.

Berg, L. M., Lascoux, M., Pamilo, P. The infinite island model with sex-differentiated gene flow **63**

Bertrand, D. *see* Majerus, T. M. O.

Beukeboom, L. W. *see* Pongratz, N.

Black IV, W. C. *see* West, D. A.

Blanckenhorn, W. U. *see* Reusch, T.

Bollard, A. *see* King, I. P.

Borodin, P. M. *see* Rogatcheva, M. B.

Bruford, M. W. *see* Jordan, W. C.

Bulmer, M. Galton's law of ancestral heredity **579**

Butcher, P. A., Moran, G. F., Perkins, H. D. RFLP diversity in the nuclear genome of *Acacia mangium* 205

Butlin, R., Schön, I., Martens, K. Short review: Asexual reproduction in non-marine ostracods **473**

Byrne, M., Parrish, T. L., Moran, G. F. Nuclear RFLP diversity in *Eucalyptus nitens* 225

Caballero, A. *see* Wang, J.

Castagnone-Sereno, P. *see* Esquibet, M.

Caubel, G. *see* Esquibet, M.

Charlesworth, D., Awadalla, P. Short review: Flowering plant self-incompatibility: the molecular population genetics of *Brassica* S-loci **1**

Charlesworth, D., Yang, Z. Allozyme diversity in *Leavenworthia* populations with different inbreeding levels **453**

Charmet, G. *see* Balfourier, F.

Chisholm, D. *see* Sunnucks, P.

Clark, A. G., Fucito, C. D. Stress tolerance and metabolic response to stress in *Drosophila melanogaster* 514

Confalonieri, V. A., Sequeira, A. S., Todaro, L., Vilardi, J. C. Mitochondrial DNA and phylogeography of the grasshopper *Trimerotropis pallidipennis* in relation to clinal distribution of chromosome polymorphisms **444**

Conte, R. A., Samonte, R. V., Verma, R. S. Evolutionary divergence of the oncogenes GLI, HST and INT2 **10**

Daly, J. C., Fisk, J. H. Sex-linked inheritance of endosulphan resistance in *Helicoverpa armigera* 55

Das, C. *see* Vogler, D. W.

De Cuyper, B. *see* De Greef, B.

De Greef, B., Triest, L., De Cuyper, B., Van Slycken, J. Assessment of intraspecific variation in half-sibs of *Quercus petraea* (Matt.) Liebl. 'plus' trees **284**

De Matthaeis, E. *see* Silvestrini, F.

De Wolf, H., Backeljau, T., Verhagen, R. Congruence between allozyme and RAPD data in assessing macrogeographical genetic variation in the periwinkle *Littorina striata* (Mollusca, Gastropoda) **486**

Di Pardo, V. *see* Silvestrini, F.

Dobson, S. L., Tanouye, M. A. Interspecific movement of the paternal sex ratio chromosome **261**

Douglas, A. E. Short review: Host benefit and the evolution of specialization in symbiosis **599**

Enjalbert, J. *see* Poncet, V.

Esquibet, M., Bekal, S., Castagnone-Sereno, P., Gauthier, J.-P., Rivoal, R., Caubel, G. Differentiation of normal and giant *Vicia faba* populations of the stem nematode *Ditylenchus dipsaci*: agreement between RAPD and phenotypic characteristics **291**

Estoup, A. *see* Widmer, A.

Falconer, V. M. *see* Keightley, P. D.

Fennimore, S. A., Nyquist, W. E., Shaner, G. E., Myers, S. P., Foley, M. E. Temperature response in wild oat (*Avena fatua* L.) generations segregating for seed dormancy **674**

Fisk, J. H. *see* Daly, J. C.

Heredity **81** (1998) 706–709

Author index

Aagaard, J. E., Krutovskii, K. V., Strauss, S. H. RAPDs and allozymes exhibit similar levels of diversity and differentiation among populations and races of Douglas-fir **69**

Akagi, H., Yokozeki, Y., Inagaki, A., Fujimura, T. Origin and evolution of twin microsatellites in the genus *Oryza* 187

Alvarez-Buylla, E. R. *see* Kaufman, S. R.

Anamthawat-Jónsson, K. *see* Pašakinskienė, I.

Andersson, S. *see* Waldmann, P.

Aravanopoulos, F. A., Zsuffa, L. Heterozygosity and biomass production in *Salix eriocephala* 396

Armstead, I. P. *see* King, I. P.

Armstrong, S. J., Fransz, P., Marshall, D. F., Jones, G. H. Physical mapping of DNA repetitive sequences to mitotic and meiotic chromosomes of *Brassica oleracea* var. *alboglabra* by fluorescence *in situ* hybridization **666**

Atlan, A. *see* Gigord, L.

Aulchenko, Y. S. *see* Rogatcheva, M. B.

Awadalla, P. *see* Charlesworth, D.

Axenovich, T. I. *see* Rogatcheva, M. B.

Backeljau, T. *see* De Wolf, H.

Baer, C. F. Population structure in a south-eastern US freshwater fish, *Heterandria formosa*. II. Gene flow and biogeography within the St. Johns River drainage **404**

Balfourier, F., Charmet, G., Ravel, C. Genetic differentiation within and between natural populations of perennial and annual ryegrass (*Lolium perenne* and *L. rigidum*) **100**

Ball, T. *see* Warren, J. M.

Bartoszewski, S. *see* Wilanowski, T. M.

Bastiaanssen, H. J. M., Van Den Berg, P. M. M. M., Lindhout, P., Jacobsen, E., Ramanna, M. S. Postmeiotic restitution in 2*n*-egg formation of diploid potato **20**

Bekal, S. *see* Esquibet, M.

Berg, L. M., Lascoux, M., Pamilo, P. The infinite island model with sex-differentiated gene flow **63**

Bertrand, D. *see* Majerus, T. M. O.

Beukeboom, L. W. *see* Pongratz, N.

Black IV, W. C. *see* West, D. A.

Blanckenhorn, W. U. *see* Reusch, T.

Bollard, A. *see* King, I. P.

Borodin, P. M. *see* Rogatcheva, M. B.

Bruford, M. W. *see* Jordan, W. C.

Bulmer, M. Galton's law of ancestral heredity **579**

Butcher, P. A., Moran, G. F., Perkins, H. D. RFLP diversity in the nuclear genome of *Acacia mangium* 205

Butlin, R., Schön, I., Martens, K. Short review: Asexual reproduction in non-marine ostracods **473**

Byrne, M., Parrish, T. L., Moran, G. F. Nuclear RFLP diversity in *Eucalyptus nitens* 225

Caballero, A. *see* Wang, J.

Castagnone-Sereno, P. *see* Esquibet, M.

Caubel, G. *see* Esquibet, M.

Charlesworth, D., Awadalla, P. Short review: Flowering plant self-incompatibility: the molecular population genetics of *Brassica* S-loci **1**

Charlesworth, D., Yang, Z. Allozyme diversity in *Leavenworthia* populations with different inbreeding levels **453**

Charmet, G. *see* Balfourier, F.

Chisholm, D. *see* Sunnucks, P.

Clark, A. G., Fucito, C. D. Stress tolerance and metabolic response to stress in *Drosophila melanogaster* 514

Confalonieri, V. A., Sequeira, A. S., Todaro, L., Vilardi, J. C. Mitochondrial DNA and phylogeography of the grasshopper *Trimerotropis pallidipennis* in relation to clinal distribution of chromosome polymorphisms **444**

Conte, R. A., Samonte, R. V., Verma, R. S. Evolutionary divergence of the oncogenes GLI, HST and INT2 **10**

Daly, J. C., Fisk, J. H. Sex-linked inheritance of endosulphan resistance in *Helicoverpa armigera* 55

Das, C. *see* Vogler, D. W.

De Cuyper, B. *see* De Greef, B.

De Greef, B., Triest, L., De Cuyper, B., Van Slycken, J. Assessment of intraspecific variation in half-sibs of *Quercus petraea* (Matt.) Liebl. 'plus' trees **284**

De Matthaeis, E. *see* Silvestrini, F.

De Wolf, H., Backeljau, T., Verhagen, R. Congruence between allozyme and RAPD data in assessing macrogeographical genetic variation in the periwinkle *Littorina striata* (Mollusca, Gastropoda) **486**

Di Pardo, V. *see* Silvestrini, F.

Dobson, S. L., Tanouye, M. A. Interspecific movement of the paternal sex ratio chromosome **261**

Douglas, A. E. Short review: Host benefit and the evolution of specialization in symbiosis **599**

Enjalbert, J. *see* Poncet, V.

Esquibet, M., Bekal, S., Castagnone-Sereno, P., Gauthier, J.-P., Rivoal, R., Caubel, G. Differentiation of normal and giant *Vicia faba* populations of the stem nematode *Ditylenchus dipsaci*: agreement between RAPD and phenotypic characteristics **291**

Estoup, A. *see* Widmer, A.

Falconer, V. M. *see* Keightley, P. D.

Fennimore, S. A., Nyquist, W. E., Shaner, G. E., Myers, S. P., Foley, M. E. Temperature response in wild oat (*Avena fatua* L.) generations segregating for seed dormancy **674**

Fisk, J. H. *see* Daly, J. C.

Foley, M. E. *see* Fennimore, S. A.
Ford-Lloyd, B. V. *see* Virk, P. S.
Forster, J. W. *see* King, I. P.
Foster, R. B. *see* Loveless, M. D.
Fransz, P. *see* Armstrong, S. J.
Fucito, C. D. *see* Clark, A. G.
Fujimura, T. *see* Akagi, H.

García-Marín, J. L. *see* Roldán, M. I.
Gauthier, J.-P. *see* Esquibet, M.
Géri, C. *see* Rousselet, J.
Gibson, J. B. *see* Wilanowski, T. M.
Gigord, L., Lavigne, C., Shykoff, J. A., Atlan, A. No evidence for local adaptation between cytoplasmic male sterility and nuclear restorer genes in the gynodioecious species *Thymus vulgaris* L. **156**
Gray, A. J. *see* Warren, J. M.
Guntrip, J., Sibly, R. M. Phenotypic plasticity, genotype-by-environment interaction and the analysis of generalism and specialization in *Callosobruchus maculatus* 198

Hales, D. F. *see* Sunnucks, P.
Haley, C. S. *see* Knott, S. A.
Haley, C. S. *see* Visscher, P. M.
Hamrick, J. L. *see* Loveless, M. D.
Hansen, M. M., Mensberg, K.-L. D. Genetic differentiation and relationship between genetic and geographical distance in Danish sea trout (*Salmo trutta* L.) populations **493**
Hariri, A. R., Werren, J. H., Wilkinson, G. S. Distribution and reproductive effects of *Wolbachia* in stalk-eyed flies (Diptera: Diopsidae) **254**
Harper, J. A. *see* King, I. P.
Hauser, T. P., Jørgensen, R. B., Østergård, H. Fitness of back-cross and F_2 hybrids between weedy *Brassica rapa* and oilseed rape (*B. napus*) **436**
Hauser, T. P., Shaw, R. G., Østergård, H. Fitness of F_1 hybrids between weedy *Brassica rapa* and oilseed rape (*B. napus*) **429**
Hayward, M. D. *see* King, I. P.
Hayward, M. D. *see* Warren, J. M.
Heikkinen, E., Lumme, J. The Y chromosomes of *Drosophila lummei* and *D. novamexicana* differ in fertility factors **505**
Hewitt, G. M. *see* Rousselet, J.
Hill, W. G. *see* Wang, J.
Hoshizaki, S. *see* Kageyama, D.
Humphreys, M. W. *see* Pašakinskienė, I.
Hurst, G. D. D. *see* Jiggins, F. M.
Hurst, G. D. D. *see* Majerus, T. M. O.

Imasheva, A. G., Loeschcke, V., Zhivotovsky, L. A., Lazebny, O. E. Stress temperatures and quantitative variation in *Drosophila melanogaster* 246
Inagaki, A. *see* Akagi, H.
Ishikawa, A. *see* Keightley, P. D.
Ishikawa, Y. *see* Kageyama, D.

Jacobsen, E. *see* Bastiaanssen, H. J. M.
Jacquemart, A.-L. *see* Raspé, O.
Jiggins, F. M., Hurst, G. D. D., Majerus, M. E. N. Sex ratio distortion in *Acraea encedon* (Lepidoptera: Nymphalidae) is caused by a male-killing bacterium **87**
Joly, H. *see* Poncet, V.
Jones, G. H. *see* Armstrong, S. J.
Jones, R. N. *see* Pašakinskienė, I.
Jordan, W. C., Bruford, M. W. Short review: New perspectives on mate choice and the MHC **127**, **239** (erroneously repeated)
Jørgensen, R. B. *see* Hauser, T. P.

Kageyama, D., Hoshizaki, S., Ishikawa, Y. Female-biased sex ratio in the Asian corn borer, *Ostrinia furnacalis*: evidence for the occurrence of feminizing bacteria in an insect **311**
Kaltz, O., Shykoff, J. A. Short review: Local adaptation in host-parasite systems **361**
Kambhampati, S. *see* Rider Jr, S. D.
Kaufman, S. R., Smouse, P. E., Alvarez-Buylla, E. R. Pollen-mediated gene flow and differential male reproductive success in a tropical pioneer tree, *Cecropia obtusifolia* Bertol. (Moraceae): a paternity analysis **164**
Kawahara, T. *see* Ujino, T.
Keightley, P. D., Morris, K. H., Ishikawa, A., Falconer, V. M., Oliver, F. Test of candidate gene–quantitative trait locus association applied to fatness in mice **630**
King, I. P., Morgan, W. G., Armstead, I. P., Harper, J. A., Hayward, M. D., Bollard, A., Nash, J. V., Forster, J. W., Thomas, H. M. Introgression mapping in the grasses. I. Introgression of *Festuca pratensis* chromosomes and chromosome segments into *Lolium perenne* 462
Knoll, S., Rowell-Rahier, M. Distribution of genetic variance and isolation by distance in two leaf beetle species: *Oreina cacaliae* and *Oreina speciosissima* 412
Knott, S. A., Haley, C. S. Simple multiple-marker sib-pair analysis for mapping quantitative trait loci **48**
Knowles, B. *see* Majerus, T. M. O.
Kobayashi, M. *see* Suzuki, M. G.
Krutovskii, K. V. *see* Aagaard, J. E.
Kuznetzov, V. N. *see* Majerus, T. M. O.

Lamy, F. *see* Poncet, V.
Lascoux, M. *see* Berg, L. M.
Lavigne, C. *see* Gigord, L.
Lazebny, O. E. *see* Imasheva, A. G.
Lemeunier, F. *see* Rousselet, J.
Lindhout, P. *see* Bastiaanssen, H. J. M.
Loeschcke, V. *see* Imasheva, A. G.
Loveless, M. D., Hamrick, J. L., Foster, R. B. Population structure and mating system in *Tachigali versicolor*, a monocarpic neotropical tree **134**

Lucchini, V., Randi, E. Mitochondrial DNA sequence variation and phylogeographical structure of rock partridge (*Alectoris graeca*) populations **528**
Lumme, J. *see* Heikkinen, E.
Luo, C. Multiple chromosomal banding in grass carp, *Ctenopharyngodon idellus* 481

Majerus, M. E. N. *see* Jiggins, F. M.
Majerus, M. E. N. *see* Majerus, T. M. O.
Majerus, T. M. O., Majerus, M. E. N., Knowles, B., Wheeler, J., Bertrand, D., Kuznetzov, V. N., Ueno, H., Hurst, G. D. D. Extreme variation in the prevalence of inherited male-killing microorganisms between three populations of *Harmonia axyridis* (Coleoptera: Coccinellidae) **683**
Marshall, D. F. *see* Armstrong, S. J.
Martens, K. *see* Butlin, R.
Mensberg, K.-L. D. *see* Hansen, M. M.
Michiels, N. K. *see* Pongratz, Norbert
Moran, G. F. *see* Butcher, P. A.
Moran, G. F. *see* Byrne, M.
Morgan, W.G. *see* King, I. P.
Morris, K. H. *see* Keightley, P. D.
Myers, S. P. *see* Fennimore, S. A.

Nagamitsu, T. *see* Ujino, T.
Nash, J. V. *see* King, I. P.
Newbury, H. J. *see* Virk, P. S.
Nyquist, W. E. *see* Fennimore, S. A.

Oda, S.-I. *see* Rogatcheva, M. B.
Oliver, F. *see* Keightley, P. D.
Østergård, H. *see* Hauser, T. P.
Østergård, H. *see* Hauser, T. P.

Pálsson, S. *see* Pamilo, P.
Pamilo, P., Pálsson, S. Associative overdominance, heterozygosity and fitness **381**
Pamilo, P. *see* Berg, L. M.
Papageorgiou, A. C. Diploid sporophytic tissue in the seed of *Cupressus sempervirens* L. **586**
Paplauskiene, V. *see* Pašakinskienė, I.
Parrish, T. L. *see* Byrne, M.
Pašakinskienė, I., Anamthawat-Jónsson, K., Humphreys, M. W., Paplauskiene, V., Jones, R. N. New molecular evidence on genome relationships and chromosome identification in fescue (*Festuca*) and ryegrass (*Lolium*) **659**
Perkins, H. D. *see* Butcher, P. A.
Pla, C. *see* Roldán, M. I.
Poncet, V., Lamy, F., Enjalbert, J., Joly, H., Sarr, A., Robert, T. Genetic analysis of the domestication syndrome in pearl millet (*Pennisetum glaucum* L., Poaceae): inheritance of the major characters **648**
Pongratz, N., Sharbel, T. F., Beukeboom, L. W., Michiels, N. K. Allozyme variability in sexual and parthenogenetic freshwater planarians: evidence for polyphyletic origin of parthenogenetic lineages through hybridization with coexisting sexuals **38**
Preziosi, R. F., Roff, D. A. Evidence of genetic isolation between sexually monomorphic and sexually dimorphic traits in the waterstrider *Aquarius remigis* 92

Ramanna, M. S. *see* Bastiaanssen, H. J. M.
Randi, E. *see* Lucchini, V.
Rao, S., Xu, S. Mapping quantitative trait loci for ordered categorical traits in four-way crosses **214**
Raspé, O., Jacquemart, A.-L. Allozyme diversity and genetic structure of European populations of *Sorbus aucuparia* L. (Rosaceae: Maloideae) **537**
Ratnam, W. *see* Ujino, T.
Ravel, C. *see* Balfourier, F.
Raybould, A. F. *see* Warren, J. M.
Raymond, M. *see* Silvestrini, F.
Reusch, T., Blanckenhorn, W. U. Quantitative genetics of the dung fly *Sepsis cynipsea*: Cheverud's conjecture revisited **111**
Rider Jr, S. D., Wilde, G. E., Kambhampati, S. Genetics of esterase-mediated insecticide resistance in the aphid *Schizaphis graminum* 14
Rivoal, R. *see* Esquibet, M.
Robert, T. *see* Poncet, V.
Roff, D. A. Effects of inbreeding on morphological and life history traits of the sand cricket, *Gryllus firmus* 28
Roff, D. A. *see* Preziosi, R. F.
Rogatcheva, M. B., Oda, S.-I., Axenovich, T. I., Aulchenko, Y. S., Searle, J. B., Borodin, P. M. Chromosomal segregation and fertility in Robertsonian chromosomal heterozygotes of the house musk shrew (*Suncus murinus*, Insectivora, Soricidae) **335**
Roldán, M. I., García-Marín, J. L., Utter, F. M., Pla, C. Population genetic structure of European hake, *Merluccius merluccius* 327
Romi, R. *see* Silvestrini, F.
Rosengren, Rainer *see* Walin, Laura
Rousselet, Jérôme, Claude, G., Hewitt, G. M., Lemeunier, F. The chromosomes of *Diprion pini* and *D. similis* (Hymenoptera: Diprionidae): implications for karyotype evolution **573**
Rowell-Rahier, M. *see* Knoll, S.

Samonte, R. V. *see* Conte, R. A.
Sampson, J. F. Multiple paternity in *Eucalyptus rameliana* (Myrtaceae) **349**
Sarr, A. *see* Poncet, V.
Schilthuizen, M., Stouthamer, R. Distribution of *Wolbachia* among the guild associated with the parthenogenetic gall wasp *Diplolepis rosae* 270
Schmid-Hempel, P. *see* Widmer, A.
Scholl, A. *see* Widmer, A.
Schön, I. *see* Butlin, R.

Searle, J. B. *see* Rogatcheva, M. B.
Seppä, P. *see* Walin, L.
Sequeira, A. S. *see* Confalonieri, V. A.
Severini, C. *see* Silvestrini, F.
Shaner, G. E. *see* Fennimore, S. A.
Sharbel, T. F. *see* Pongratz, N.
Shaw, R. G. *see* Hauser, T. P.
Shimada, T. *see* Suzuki, M. G.
Shykoff, J. A. *see* Gigord, L.
Shykoff, J. A. *see* Kaltz, O.
Sibly, R. M. *see* Guntrip, J.
Silvestrini, F., Severini, C., Di Pardo, V., Romi, R., De Matthaeis, E., Raymond, M. Population structure and dynamics of insecticide resistance genes in *Culex pipiens* populations from Italy **342**
Skibinski, D. O. F., Ward, R. D. Are polymorphism and evolutionary rate of allozyme proteins limited by mutation or selection? **692**
Smouse, P. E. *see* Kaufman, S. R.
Stephenson, A. G. *see* Vogler, D. W.
Stettler, R. F. *see* Wu, R.
Stouthamer, R. *see* Schilthuizen, M.
Stratton, D. A. Reaction norm functions and QTL-environment interactions for flowering time in *Arabidopsis thaliana* 144
Strauss, S. H. *see* Aagaard, J. E.
Sundström, L. *see* Walin, L.
Sunnucks, P., Chisholm, D., Turak, E., Hales, D. F. Evolution of an ecological trait in parthenogenetic *Sitobion* aphids **638**
Suzuki, M. G., Shimada, T., Kobayashi, M. Absence of dosage compensation at the transcription level of a sex-linked gene in a female heterogametic insect *Bombyx mori* 275

Tanouye, M. A. *see* Dobson, S. L.
Thomas, H. M. *see* King, I. P.
Todaro, L. *see* Confalonieri, V. A.
Triest, L. *see* De Greef, B.
Tsumura, Y. *see* Ujino, T.
Turak, E. *see* Sunnucks, P.

Ueno, H. *see* Majerus, T. M. O.
Ujino, T., Kawahara, T., Tsumura, Y., Nagamitsu, T., Yoshimaru, H., Ratnam, W. Development and polymorphism of simple sequence repeat DNA markers for *Shorea curisii* and other Dipterocarpaceae species **422**
Utter, F. M. *see* Roldán, M. I.

Väinölä, R. A sex-linked locus (*Mpi*) in the opossum shrimp *Mysis relicta*: implications for early postglacial colonization history **621**
Van Den Berg, P. M. M. M. *see* Bastiaanssen, H. J. M.
Van Slycken, J. *see* De Greef, B.
Verhagen, R. *see* De Wolf, H.
Verma, R. S. *see* Conte, R. A.
Vilardi, J. C. *see* Confalonieri, V. A.
Virk, P. S., Ford-Lloyd, B. V., Newbury, H. J. Mapping AFLP markers associated with subspecific differentiation of *Oryza sativa* and an investigation of segregtion distortion **613**
Visscher, P. M., Haley, C. S. Power of a chromosomal test to detect genetic variation using genetic markers **317**
Vogler, D. W., Das, C., Stephenson, A. G. Phenotypic plasticity in the expression of self-incompatibility in *Campanula rapunculoides* 546

Waldmann, P., Andersson, S. Comparison of quantitative genetic variation and allozyme diversty within and between populations of *Scabiosa canescens* and *S. columbaria* 79
Walin, L., Sundström, L., Seppä, P., Rosengren, R. Worker reproduction in ants — a genetic analysis **604**
Wang, J., Caballero, A., Hill, W. G. The effect of linkage disequilibrium and deviation from Hardy-Weinberg proportions on the changes in genetic variance with bottlenecking **174**
Ward, R. D. *see* Skibinski, D. O. F.
Warren, J. M., Raybould, A. F., Ball, T., Gray, A. J., Hayward, M. D. Genetic structure in the perennial grasses *Lolium perenne* and *Agrostis curtisii* 556
Werren, J. H. *see* Hariri, A. R.
West, D. A., Black IV, W. C. Breeding structure of three snow pool *Aedes* mosquito species in northern Colorado **371**
Wheeler, J. *see* Majerus, T. M. O.
Widmer, A., Schmid-Hempel, P., Estoup, A., Scholl, A. Population genetic structure and colonization histort of *Bombus terrestris* s.l. (Hymenoptera: Apidae) from the Canary Islands and Madeira **563**
Wilanowski, T. M., Yoong, S. H. S., Bartoszewski, S., Gibson, J. B. Expression of the GPDH-4 isozyme of *sn*-glycerol-3-phosphate dehydrogenase in three *Drosophila* species **390**
Wilde, G. E. *see* Rider Jr, S. D.
Wilkinson, G. S. *see* Hariri, A. R.
Wu, R., Stettler, R. F. Quantitative genetics of growth and development in Populus. III. Phenotypic plasticity of crown structure and function **299**

Xu, S. *see* Rao, S.

Yang, Z. *see* Charlesworth, D.
Yokozeki, Y. *see* Akagi, H.
Yoong, S. H. S. *see* Wilanowski, T. M.
Yoshimaru, H. *see* Ujino, T.

Zhivotovsky, L. A. *see* Imasheva, A. G.
Zsuffa, L. *see* Aravanopoulos, F. A.